

Acetic acid, ethyl ester {Ethyl acetate}

Page: 1 of 5 Printed: 02/26/2025

Revision: 02/28/2025

Supersedes Revision: 06/22/2018

This SDS complies with the US OSHA HCS 2012.

1. Product and Company Identification

C000107 **Product Code:**

Product Name: Acetic acid, ethyl ester {Ethyl acetate}

Company Name: CalibreScientific US, Inc. **Phone Number:** 1 (360)260-2779

1311 SE Cardinal Ct Suite 170

Vancouver, WA 98683

Web site address: Alphatecsystems.com

Email address: Regulatory@calibrescientific.com

Emergency Contact: INFOTRAC

> International 00-1- (352)323-3500

Information: North America 1 (800)535-5053

Product List Ethyl Acetate Product Codes: 0003344 and as a component of 0004043.

2. Hazards Identification

Flammable Liquids, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.

> H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

GHS Precautionary Phrases: P233 - Keep container tightly closed.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P243 - Take precautionary measures against static discharge.

P242 - Use only non-sparking tools.

P264 - Wash hands thoroughly after handling.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P271 - Use only outdoors or in a well-ventilated area.

GHS Response Phrases: P370+378 - In case of fire, use ... to extinguish.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON CENTER/doctor/... if you feel unwell.

GHS Storage and Disposal

P403+235 - Store in cool/well-ventilated place.

Phrases: P501 - Dispose of contents/container to ...

P403+233 - Store container tightly closed in well-ventilated place.

P405 - Store locked up.



Acetic acid, ethyl ester {Ethyl acetate}

Printed: 02/26/2025 Revision: 02/28/2025

Page: 2 of 5

GHS format

Supersedes Revision: 06/22/2018

Potential Health Effects

Chronic: Chronic inhalation may cause effects similar to those of acute inhalation. (Acute and Chronic): Animals exposed to 4300 ppm (mice) and 2000 ppm (guinea pig), 6 hours/day for 7 days

developed minor blood changes & loss of appetite. There was no indication of liver or kidney injury. Rabbits exposed to 16000 mg/m3 (4440 ppm), 1 hour/day for 40 days developed secondary anemia (decreased number of red blood cells), decreased hemoglobin levels, increased numbers of macrophages, congestion and fatty

degeneration of various organs, and enlargement of the spleen. A reviewer suggested

that the organ damage may have been due to impurities present in the ethyl.

Inhalation: Inhalation of high concentrations may cause narcotic effects. May be harmful if inhaled.

May cause skin irritation. Repeated or prolonged exposure may cause drying and **Skin Contact:**

> cracking of the skin. The majority of human studies have demonstrated that ethyl acetate does not cause an allergic response on human skin. However, there is one case report

of a woman developing a skin allergy to ethyl acetate.

Causes eye irritation. Vapors may cause eye irritation. Eye Contact:

Ingestion: May cause irritation of the digestive tract. Ingestion of large amounts may cause central

> nervous system depression. May cause headache, nausea, fatique, and dizziness. These effects may be caused in part by ethanol which is released when ethyl acetate is

broken down in the body.

3. Composition/Information on Ingredients

CAS# **Hazardous Components (Chemical Name)** Concentration

141-78-6 Acetic acid, ethyl ester {Ethyl acetate} 100.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical aid.

In case of contact, flush skin with plenty of water. Remove contaminated clothing and In Case of Skin Contact:

shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. In Case of Eye Contact:

Get medical attention if symptoms occur. Get medical aid.

If swallowed, do not induce vomiting unless directed to do so by medical personnel. In Case of Ingestion:

Never give anything by mouth to an unconscious person. Get medical aid.

Treat symptomatically and supportively. Note to Physician:

5. Fire Fighting Measures

-4.00 C Flash Point:

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: 426.00 C

Suitable Extinguishing Media: Water may be ineffective. Use water spray, alcohol foam, CO2, dry chemical.

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

> MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep

fire-exposed containers cool. Flammable liquid and vapor. Vapors are heavier than air

and may travel to a source of ignition and flash back.

Flammable Properties and

Hazards:

No data available.

No data available. **Hazardous Combustion**

MIRS SDS, (c) A V Systems, Inc.



Acetic acid, ethyl ester {Ethyl acetate}

Page: 3 of 5 Printed: 02/26/2025 Revision: 02/28/2025

Supersedes Revision: 06/22/2018

Products:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Remove all sources of ignition. Provide ventilation. Use only non-sparking

tools and equipment.

Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Ground and bond containers when transferring material. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Use only with adequate ventilation. Keep away from heat, sparks and flame. Avoid breathing dust, mist, or vapor.

Precautions To Be Taken in Storing:

Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area.

8. Exposure Controls/Personal Protection

Partial Chemical Name OSHA TWA ACGIH TWA CAS# **Other Limits** Acetic acid, ethyl ester {Ethyl acetate} PEL: 400 ppm TLV: 400 ppm No data. 141-78-6

Respiratory Equipment

(Specify Type):

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Eye Protection: Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep

airborne levels to acceptable levels.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Clear, colorless, Odor; sweetish odor,

pH: No data. **Melting Point:** -83.00 C

77.00 C / 0.0 mm Hg **Boiling Point:**

Flash Point: -4.00 C **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. UEL: No data. **Explosive Limits:**

Vapor Pressure: No data. Vapor Density (vs. Air=1): No data. Specific Gravity (Water=1): 0.9

No data. Solubility in Water:

MIRS SDS, (c) A V Systems, Inc.

GHS format



SAFETY DATA SHEET Acetic acid, ethyl ester {Ethyl acetate}

Page: 4 of 5 Printed: 02/26/2025

Revision: 02/28/2025

Supersedes Revision: 06/22/2018

Saturated Vapor

No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt:

426.00 C

Decomposition

No data.

Temperature:

Viscosity:

No data.

10. Stability and Reactivity

Stability: Unstable []

Conditions To Avoid -

ignition sources, Moisture, Excess heat, attacks some plastics, rubber, and coatings.

Stable [X]

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong acids, Strong bases.

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide, ethyl alcohol.

Byproducts:

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other

Information:

CAS# 141-78-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

NTP? No IARC Monographs? No OSHA Regulated? No Carcinogenicity:

12. Ecological Information

General Ecological Information:

Environmental: Terrestrial: Expected to have high mobility in soil. Volatilization of ethyl acetate from moist soil surfaces is expected to be important. Aquatic: Not expected to adsorb into suspended solids or sediments. Atmospheric: Expected to exist solely as a vapor in the ambient atmosphere. Vapor-phase ethyl acetate is degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals; the half-life for

this reaction in air is estimated to be 10 days.

Physical: Substance biodegrades at a high rate with little bioconcentration.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series:

CAS# 141-78-6: waste number U112 (Ignitable waste).

MIRS SDS, (c) A V Systems, Inc.

GHS format



Acetic acid, ethyl ester {Ethyl acetate}

Page: 5 of 5 Printed: 02/26/2025

Revision: 02/28/2025

Supersedes Revision: 06/22/2018

14. Transport Information

GHS Classification: Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor

Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation

Specific Target Organ Toxicity (single exposure), Category 3 - Warning! May cause

respiratory irritation, or may cause drowsiness and dizziness

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Ethyl acetate.

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1173 Packing Group: II

FL@MM@BLE LIQUID

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: ETHYL ACETATE.

UN Number: UN1173 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID TDG Classification:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Ethyl acetate.

UN Number: UN1173 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

141-78-6 Acetic acid, ethyl ester {Ethyl acetate} No Yes NA No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

141-78-6 Acetic acid, ethyl ester {Ethyl acetate} CA PROP.65: No; MA Oil/HazMat: Yes; NJ EHS: No; PA

HSL: Yes - E

16. Other Information

Revision Date: 02/28/2025 **Previous revision:** 06/22/2018

Additional Information About No data available.

This Product:

Document & Change Control SDS0061.D.

Number

Company Policy or Disclaimer

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.