

This SDS complies with the US OSHA HCS 2012.

1. Product and Company Identification

Product Code: 0003339
Product Name: Methanol
Company Name: CalibreScientific US, Inc.
1311 SE Cardinal Ct Suite 170
Vancouver, WA 98683
Phone Number: 1 (360)260-2779
Web site address: Alphatecsystems.com
Email address: Regulatory@calibrescientific.com
Emergency Contact: INFOTRAC
International 00-1- (352)323-3500
Information: North America 1 (800)535-5053
Product List N/A Single Product Code.

2. Hazards Identification

Flammable Liquids, Category 2**Acute Toxicity: Oral, Category 3****Acute Toxicity: Inhalation, Category 3****Acute Toxicity: Skin, Category 3****Specific Target Organ Toxicity (single exposure), Category 1****GHS Signal Word:** **Danger**

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.
H301 - Toxic if swallowed.
H311 - Toxic in contact with skin.
H331 - Toxic if inhaled.
H370 - Causes damage to organs

GHS Precautionary Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P235 - Keep cool.

GHS Response Phrases: P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+352 - IF ON SKIN: Wash with plenty of soap and water.
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308+311 - If exposed or concerned: Call a POISON CENTER/Doctor/...

GHS Storage and Disposal Phrases:

P311 - Call a POISON CENTER or doctor/physician.
P321 - Specific treatment see ... on this label.
P330 - Rinse mouth.
P361+364 - Take off immediately all contaminated clothing and wash it before reuse.
P370+378 - In case of fire, use ... to extinguish.
P403+233 - Store container tightly closed in well-ventilated place.
P405 - Store locked up.
P501 - Dispose of contents/container to ...

Potential Health Effects (Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS -none.

3. Composition/Information on Ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration |
|---------|---|---------------|
| 67-56-1 | Methanol {Methyl alcohol; Carbinol; Wood alcohol} | 100.0 % |

4. First Aid Measures**Emergency and First Aid Procedures:**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

In Case of Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact:

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In Case of Eye Contact:

Flush eyes with water as a precaution.

In Case of Ingestion:

Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Signs and Symptoms Of Exposure:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed:

No data available.

5. Fire Fighting Measures

Flash Point: 11.00 C Method Used: Closed Cup

Explosive Limits: LEL: 6 %(V) UEL: 36 %(V)

Autoignition Pt: > 385.00 C

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Further information. Use water spray to cool unopened containers.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

6. Accidental Release Measures

| | |
|---|---|
| Protective Precautions, Protective Equipment and Emergency Procedures: | Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. |
| Environmental Precautions: | Prevent further leakage or spillage if safe to do so. Do not let product enter drains. |
| Steps To Be Taken In Case Material Is Released Or Spilled: | Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). |

7. Handling and Storage

| | |
|---|---|
| Precautions To Be Taken in Handling: | Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. |
| Precautions To Be Taken in Storing: | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 - 8 deg.C. Storage class (TRGS 510): 3: Flammable liquids |
| Other Precautions: | Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. |

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|---|--|--------------|-------------------------------|--------------|
| 67-56-1 | Methanol {Methyl alcohol; Carbinol; Wood alcohol} | PEL: 200 ppm | TLV: 200 ppm STEL: 250 ppm | No data. |
| Respiratory Equipment (Specify Type): | Respiratory: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). | | | |
| Eye Protection: | Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). | | | |
| Protective Gloves: | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact. Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min. Material: Nitrile rubber Minimum layer thickness: 0.4 mm. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. | | | |
| Other Protective Clothing: | Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. | | | |
| Engineering Controls (Ventilation etc.): | Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. | | | |
| Environmental Exposure Controls: | Prevent further leakage or spillage if safe to do so. Do not let product enter drains. | | | |

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Solution.
Slightly.

pH: Not available

Melting Point: -98.00 C

Boiling Point: 64.00 C - 65.00 C / 0.0 mm Hg

Flash Point: 11.00 C Closed Cup

Evaporation Rate: Not available

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 6 %(V) UEL: 36 %(V)

Vapor Pressure: 130.23 hPa at 20.0 C

No data.

Vapor Density (vs. Air=1): 0.79

Specific Gravity (Water=1): No data.

Density: 0.791 G/CC

Solubility in Water: completely m

Saturated Vapor

Concentration:

No data.

Octanol/Water Partition Coefficient: No data.

Autoignition Pt: > 385.00 C

Decomposition

Temperature:

No data.

Viscosity: Not available

Explosive Properties: No data available.

Information on other hazards: No data available.

10. Stability and Reactivity

Reactivity: No data available.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Heat, flames and sparks.

Instability:

Incompatibility - Materials To Avoid: acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Potassium, Sodium/sodium oxides, Aluminum, magnesium, Zinc.

Hazardous Decomposition or Hazardous decomposition products formed under fire conditions. -Carbon oxides.

Byproducts: Hydrogen chloride gas, phosgene gas, Hydrogen fluoride, No data available.

In the event of fire: see section 5.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: Vapors may form explosive mixture with air.

11. Toxicological Information

Toxicological Information: Acute toxicity.
No data available. Inhalation: Dermal. Germ cell mutagenicity: Reproductive toxicity.
Aspiration hazard:

Irritation or Corrosion: Skin corrosion/irritation. No data available. Serious eye damage/eye irritation: no data available.

Sensitization: No data available.

Chronic Toxicological Effects: Specific target organ toxicity - single exposure: No data available.
Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other Information: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: No data available.

Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method: Product.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contaminated packaging. Dispose of as unused product.

14. Transport Information

GHS Classification: Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor
Acute Toxicity: Oral, Category 3 - Danger! Toxic if swallowed
Acute Toxicity: Inhalation, Category 3 - Danger! Toxic if inhaled
Acute Toxicity: Skin, Category 3 - Danger! Toxic in contact with skin
Specific Target Organ Toxicity (single exposure), Category 1 - Danger! Causes damage to organs {<target organs>}

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Methanol.

DOT Hazard Class: 3

FLAMMABLE LIQUID

UN/NA Number: UN1230

Packing Group:

II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Methanol.

UN Number: UN1230

Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

TDG Classification:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Methanol.

UN Number: UN1230

Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

IMDG EMS Number: F-E, S-D

IMDG MFAG Number:

Marine Pollutant:

No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Methanol.

UN Number: UN1230

Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID

IATA Classification:

3, 6.1

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS # | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|---------|---|--------------|-----------|--------------|
| 67-56-1 | Methanol {Methyl alcohol; Carbinol; Wood alcohol} | No | Yes NA | Yes |

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|---------|---|--|
| 67-56-1 | Methanol {Methyl alcohol; Carbinol; Wood alcohol} | CA PROP.65: Yes; RDTox.; MA Oil/HazMat: Yes; NJ EHS: Yes - 1222; PA HSL: Yes - E |

16. Other Information

Revision Date: 03/21/2025

Previous revision:

03/11/2022

Preparer Name: A. Frontella

Additional Information About This Product: No data available.

Document & Change Control Number: SDS0277.C.

Company Policy or

Disclaimer:

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.